Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	105	((sav\$3 or creat\$3) with file with (multiple or many or (more than one) or different or various) (location\$1 or folder\$1))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 10:38
L2	0	((sav\$3 or creat\$3) with file with (all) (location\$1 or folder\$1))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:18
L3	18	((delet\$3) with file with (multiple or many or (more than one) or different or various or all) (location\$1 or folder\$1))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 10:43
L4	109	((delet\$3 or sav\$3 or creat\$3) with files with (multiple or many or (more than one) or different or various or all) (location\$1 or folder\$1))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 10:44
L5	79	4 not 1	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 10:44
L6	75	5 not 3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 10:44
L8	19796	"715".clas. and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:14
L9	121	"715".clas. and @ad<"20020711" and windows explorer	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:15
L10	0	"715/853-855".clas. and @ad<"20020711" and windows explorer	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:16
L11	5	file system shell and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:22
L12	394	file manager and @ad<"20020711" and "707".clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:23
L13	0	file manager and @ad<"20020711" and "707".clas. user interface	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:23
L14	190	file manager and @ad<"20020711" and "707".clas. and user interface	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:31
L15	0	@ad<"20020711" and delete all shortcuts	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:31

L16	0	@ad<"20020711" and delete all shortcut	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:31
L17	0	@ad<"20020711" and delete every shortcut	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:31
L18	0	@ad<"20020711" and delet\$3 every shortcut	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:32
L19	2	@ad<"20020711" and delet\$3 (all or every or multiple) (shortcut\$1 or link\$1)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:32
L20	0	@ad<"20020711" and delet\$3 (all or every or multiple) (alias\$2)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:32
L21	18	(US-20030184600-\$ or US-20010014892-\$).did. or (US-6636250-\$ or US-5574898-\$ or US-7032186-\$ or US-6854089-\$ or US-6405309-\$ or US-6321219-\$ or US-6195650-\$ or US-5694563-\$ or US-5956036-\$ or US-5897638-\$ or US-6477544-\$ or US-5724578-\$ or US-5544360-\$ or US-6910193-\$). did.	US-PGPUB; USPAT	ADJ	OFF	2007/12/14 11:33
L22	5	21 and button	US-PGPUB; USPAT	ADJ	OFF	2007/12/14 11:34
S1	1	10/520797.app.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/14 11:14
S2	2	"5544360".pn. or "6321219".pn.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:29
S3	3220	707/102.ccls. and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 10:34
S4	660	715/853.ccls. and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 10:39
S5	77	707/102.ccls. and @ad<"20020711" and shortcut	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 10:58
S6	30	715/853.ccls. and @ad<"20020711" and shortcut	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 10:39

			,	r	,	
S7	1	09/412403.app.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 10:53
S8	2	@ad<"20020711" and (create with (multi\$3 shortcut))	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 10:59
S9	5	@ad<"20020711" and (create with multi\$3 with shortcut)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 11:00
S10	227	@ad<"20020711" and (create with shortcuts)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 11:00
S11	118	@ad<"20020711" and (create shortcuts)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 11:00
S12	53	@ad<"20020711" and (create shortcuts)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:01
S13	0	picon - joaquin	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:33
S14	20	picon-joaquin.in.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:34
S15	0	pierre-secondo.in.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:34
S16	22	secondo-pierre.in.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:35
S17	58	marmigere-gerard.in.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 11:34
S18	1	(hidden with shortcut with table)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 13:59
S19	21	(file with shortcut with table)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 14:04
S20	40	(file with shortcut with table)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 14:06
S21	19	S20 not S19	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 14:04

S22	12424	(file with link) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 14:07
S23	434	(file with link with pointer) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 14:08
S24	22	707/102.ccls. and (file with link with pointer) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 15:19
S25	243	(create with multiple with (shortcut or link or alias)) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 15:19
S26	4	(create with multiple with (shortcut or link or alias)) and @ad<"20020711" and (file with pointer)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 15:22
S27	243	(create with multiple with (shortcut or link or alias)) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 15:26
S28	59	(create with multiple with (shortcut or link or alias)) and @ad<"20020711" and ("707".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 16:09
S29	97	(sav\$3 with multiple with file) and @ad<"20020711" and ("707".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 16:10
S30	382	(sav\$3 with copies with file) and @ad<"20020711" and ("707".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/11 16:11
S31	79	(sav\$3 with copies with file) and @ad<"20020711" and ("707".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:14
S32	2	(sav\$3 with shortcuts with file) and @ad<"20020711" and ("707".clas. or "715".clas.)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:14
S33	105	"707".clas. and @ad<"20020711" and symbolic links	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:56
S34	. 2	715/853-855.ccls. and symbolic links	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:57
S35	0	715/853-855.ccls. and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (hidden file\$1 with pointer\$1)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:58
S36	0	"715.las" and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (hidden file\$1 with pointer\$1)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:58

S37	0	"715".clas. and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (hidden file\$1 with pointer\$1)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:59
S38	560	"715".clas. and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (pointer\$1)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:59
S39	195	"715".clas. and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (pointers)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 16:59
S40	117	"715".clas. and (symbolic link\$1 or hard link\$1 or shortcut\$1) and (pointers) and hierarch\$4	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 17:14
S41	15	(file with pointer with shortcut)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/11 17:15
S42	36	(file with pointer with shortcut)	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/12/12 10:16
S44	359	delete with (file and (link\$1 or shortcut\$1 or alias\$2 or (symbolic link\$1)))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 10:42
S45	143	delete with (file and (link\$1 or shortcut\$1 or alias\$2 or (symbolic link\$1))) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:15
S46	79	delete with file with (link\$1 or shortcut\$1 or alias\$2 or (symbolic link\$1)) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:01
S47	213	hard link\$1 and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:01
S48	5	hard link\$1 and @ad<"20020711" and "715".clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:03
S49	1	(file with pointer\$1) and hard link\$1 and @ad<"20020711" and "715". clas.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:04
S50	62	(file with pointer\$1) and hard link\$1 and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:04
S51	80	(file with hard link\$1) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:04
S52	18	sav\$3 with create with file with (link\$1 or shortcut\$1 or alias\$2) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:20

			·-	,		
S53	99	backpointer\$1 and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:22
S54	6	backpointer\$1 with file and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:21
S55	0	backpointer\$1 with hidden and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 11:22
S56	0	delete all shortcuts	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:33
S57	0	deleting all shortcuts	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:33
S58	0	deleting all links	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:33
S59	1	deleting every link	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:34
S60	1	delet\$3 (all or every) (link\$2 or shortcut\$2 or alias\$2)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:34
S61	111	delet\$3 with (all or every) with (link\$2 or shortcut\$2 or alias\$2)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:35
S62	64	delet\$3 with (all or every) with (link\$2 or shortcut\$2 or alias\$2) and @ad<"20020711"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/12 16:41
S63	47	S61 not S62	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/13 12:50
S64	15	((sav\$3) with file with (multiple or many or (more than one)) (locations or folders))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/13 12:54
S65	105	((sav\$3 or creat\$3) with file with (multiple or many or (more than one) or different or various) (location\$1 or folder\$1))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/13 12:55
S66	90	S65 not S64	US-PGPUB; USPAT; USOCR	ADJ	OFF	2007/12/13 12:55